

3 Port Portable USB 3.0 Hub with Gigabit Ethernet Adapter NIC - Aluminum w/ Cable

StarTech ID: ST3300GU3B



The ST3300GU3B Portable USB 3.0 Hub features an integrated GbE port, enabling you to expand your laptop connectivity by adding three external USB 3.0 ports, as well as a Gigabit network port via a single USB 3.0 connection.

The hub merges Gigabit network support and USB 3.0 hub access into lightweight yet sturdy aluminum casing, providing vital connectivity ports that are often limited or nonexistent on modern mobile computers, while remaining compact and travel-friendly. Plus, with an attached USB 3.0 host connection cable there's no need to carry a separate cable with you, so you can tuck the hub neatly into your laptop bag for maximum portability.

For faster and more consistent network connections, the integrated Ethernet port leverages the 5 Gbps capabilities of the USB 3.0 interface to provide wired Gigabit access that is fully compatible with IEEE 802.3/u/ab standards.

An ideal laptop accessory, this mobile USB hub is great for connecting low-power peripherals like a mouse, keyboard or USB flash drive, and also includes a universal power adapter for connecting devices such as external hard drive enclosures.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.





Applications

- Work from your Ultrabook, laptop or netbook easily while you're on the run or on the road, the perfect travel accessory with more connectivity options
- Connect a wide variety of peripherals at home / office to a laptop, all from a single USB 3.0 connection
- Add Gigabit support to your laptop for use in boardrooms, hotels, classrooms, offices, or home environments
- Replace a failed built-in Ethernet port on a laptop, or upgrade to 1000 Mbps Gigabit connectivity

Features

- Provides three USB 3.0 hub ports, with support for up to 5 Gbps
- Gigabit Ethernet RJ-45 port through a single USB 3.0 connection
- Aluminum casing with a compact, slim, and lightweight design for maximum portability
- Dongle-style combination adapter with built-in USB 3.0 cable
- IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3az compatible
- Supports 10/100/1000 Mbps half and full-duplex operation
- Backward compatible with USB 2.0 and 1.x devices
- Universal Power Adapter (NA/UK/EU) included



Technical Specifications

Warranty 2 Years

Ports 3

Interface USB 3.0 Bus Type USB 3.0

Interface RJ45 (Gigabit Ethernet)

Industry Standards IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3az

Chipset ID ASIX - AX88179 (LAN)

Genesys Logic - GL3522 (USB 3.0 Hub)

Connector Type(s) 3 - USB 3.0 A (9 pin; SuperSpeed) Female

Connector Type(s) 1 - RJ-45 Female

Connector Type(s) 1 - USB 3.0 A (9 pin; SuperSpeed) Male

Maximum Data Transfer Rate 5 Gbps (USB 3.0)

2 Gbps (Ethernet; Full-Duplex)

Type and Rate USB 3.0 - 5 Gbit/s Compatible Networks 10/100/1000 Mbps

Auto MDIX Yes Full Duplex Support Yes

OS Compatibility Windows® 8 / 8.1 (32/64bit), 7 (32/64), Vista (32/64), XP (32/64)

Windows Server® 2012, 2008 R2, 2003 Mac OS® 10.6 and up (Tested up to 10.10) Linux 2.6.x and up (Tested up to 3.17)

Note If connected to a USB 2.0 host port, performance may be limited.

Color Black

Enclosure Type Aluminum

Cable Length 5.8 in [148 mm]
Product Length 3.4 in [87 mm]
Product Width 1.7 in [43 mm]
Product Height 0.6 in [14 mm]
Product Weight 2.2 oz [62 g]

LED Indicators 1 - Link
LED Indicators 1 - Activity

Power Source AC Adapter Included

Input Voltage 100 ~ 240 AC

Input Current 300 mA





Hard-to-find made easy®

Output Voltage 5 DC
Output Current 2 A
Center Tip Polarity Positive

Operating Temperature 0°C to 50°C (32°F to 122°F)

Storage Temperature -10°C to 75°C (14°F to 167°F)

Humidity $0^{\sim}85\%$ RH (Non-Condensing)

Package Quantity 1

Shipping (Package) Weight 12.9 oz [366 g]

Included in Package 1 - Aluminum USB 3.0 Hub w/ GbE Adapter Included in Package 1 - Universal Power Adapter (NA/UK/EU)

Included in Package 1 - Driver CD

Included in Package 1 - Instruction Manual





Certifications, Reports and Compatibility

















