

# 2 Port USB HDMI® Cable KVM Switch with Audio and Remote Switch - USB Powered

StarTech ID: SV211HDUA



The SV211HDUA 2-Port HDMI® Cable KVM Switch with Audio and Remote Switching Control lets you control two HDMI, USB equipped PCs with a single monitor, keyboard, mouse and audio peripheral set.

To help organize your desk without sacrificing work space, this compact HDMI USB KVM features integrated cables that can be connected directly to your system, while leaving a minimal footprint. The switch features a remote push-button on a 1.5 meter (5ft) integrated cable that can be placed in an easily accessible location, as well as keyboard hot-keys, and PC or Mac® compatible software for switching between systems. To eliminate the need for a bulky external power adapter and wall outlet, the HDMI KVM switch is USB-powered.

This KVM with HDMI video capability offers support for 1080p HD resolutions (up to 1920x1200) for the ability to drive a large HDMI display for applications that require high graphical output.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

### **Applications**

- Great for PC test/burn-in computer control, saving the desk space required for two monitors, keyboards and mice
- Perfect for sharing computers and attached peripherals in the home or home office
- Dual system control for single user workstations increasing user productivity in the office



### **Features**

- Supports HD resolutions (1080p 1920x1200)
- Switch PCs via push-button, hot-keys or switching software
- Space-saving design, minimal footprint
- Integrated KVM cables and remote switch
- Switching software supports PC and Mac® platforms
- USB Powered No external power adapter required
- Independent audio/mic switching for uninterrupted audio
- Analog (3.5mm) and HDMI audio supported
- Supports hot-plugging
- Remote switch on 1.5m (5ft.) cable



## **Technical Specifications**

Warranty 2 Years Audio Yes KVM Ports 2 PC Interface **USB** PC Video Type HDMI Multi-Monitor No No Rack-Mountable Cables Included Yes **HDCP** Industry Standards Daisy-Chain No

Console Interface(s) 1 - HDMI (19 pin) Female

Console Interface(s) 2 - 3.5 mm Mini-Jack (3 Position) Female

Console Interface(s) 2 - USB A (4 pin) Female Host Connectors 1 - HDMI (19 pin) Male Host Connectors 1 - USB A (4 pin) Male

Host Connectors 2 - 3.5 mm Mini-Jack (3 Position) Male

IP Control No

Audio Specifications 3.5mm and HDMI audio supported Port Selection Push Button, Hotkeys, and Software

Support

OS Compatibility Windows® 8 (32/64bit), 7 (32/64), Vista(32/64), XP(32/64), 2000

Windows Server 2012, 2008 R2, 2003(32/64)

Mac OS 10.x (Tested up to 10.9), 9.x

**Note** OS Compatibility refers to KVM software only - the KVM itself can be used without

software on any platform

Color Black Enclosure Type Plastic

Cable Length 33.5 in [850 mm]
Product Length 3.5 in [88 mm]
Product Width 2.6 in [66 mm]
Product Height 0.9 in [23 mm]
Product Weight 12.6 oz [356 g]

LED Indicators 1 - PC Selection indictor

Power Source USB-Powered





# Hard-to-find made easy®

Operating 0°C to 40°C (32°F to 104°F)

Temperature

Storage Temperature -20°C to 60°C (4°F to 140°F) Humidity 0~90% RH Non-Condensing

Shipping (Package)

Weight

16.4 oz [465 g]

Included in Package 1 - KVM Switch Included in Package 1 - Software CD

Included in Package 1 - Instruction Manual

# **Certifications, Reports and Compatibility**













