## Features & Benefits

- Tough construction
- Patch, splice or hybrid versions
- Wall mountable
- Available with fibre / splice management kits
- · Custom machining service
- Low cost
- Stock availability

ø	Cİ	ŤΙ	C		10
	u				UΙ

 Dimensions
 180mm x 140mm x 80mm (ST & FC)

 100mm x 100mm x 40mm (LC & SC)

 Material
 ABS (ST & FC) or mild steel (LC & SC)

 Colour
 Light grey

## Ordering Information

Product Description	Part Number
LC 4 Way Break Out Box	009-008-006-04
LC 8 Way Break Out Box	009-008-006-08
LC 12 Way Break Out Box	009-008-006-12
SC 4 Way Loaded Steel Break Out Box	009-008-007-04
SC 8 Way Loaded Steel Break Out Box	009-008-007-08
SC 12 Way Loaded Steel Break Out Box	009-008-007-12
SC 16 Way Loaded Steel Break Out Box	009-008-007-16
ST 4 Way Break Out Box	009-008-001-04
ST 8 Way Break Out Box	009-008-001-08
ST 12 Way Break Out Box	009-008-001-12
FC 4 Way Break Out Box	009-008-004-04
FC 8 Way Break Out Box	009-008-004-08
FC 12 Way Break Out Box	009-008-004-12
SMA 4 Way Break Out Box	009-008-002-04
SMA 8 Way Break Out Box	009-008-002-08
SMA 12 Way Break Out Box	009-008-002-12
1 Gland In/1 Out Break Out Box	009-007-002-11
1 Gland In/2 Out Break Out Box	009-007-002-12
2 Glands In/2 Out Break Out Box	009-007-002-14
2 Glands Same End Break Out Box	009-007-002-02

The Fibrefox range of wall mountable break out boxes are designed to provide a cost effective method of patching or splicing in situations where equipment racks or cabinets are not available.

The break out boxes are available in tough and lightweight ABS or mild steel for more demanding situations.

The boxes can be supplied fully loaded with all common adaptors including LC, SC, ST, SMA, FC, FDDI and ESCON types. They are supplied in a number of popular formats including 1in/1out, 1in/2out and 2in/2out. We provide a custom machining service enabling us to supply any other splice box configuration or hybrid enclosures on very short lead times.

All enclosures are offered with full fibre / splice management kit options and are available from stock.

