

2020 Series High Density Panels

Features & Benefits

- · Easy to install
- Suitable for Gigabit Ethernet applications
- High Density 24 Port
- Rear cover to protect termination and improve shielding
- Mix and match copper and fibre in one panel
- Manufactured in the UK

Specifications

Width 483 mm (19") Depth 98 mm Height 1u (44 mm) Fixing Centres 467 mm Material Mild steel sheet CR4 to BSEN 10130-1999 DC01 Finish Matt black polyester paint Socket Labels Write-on silk screen on panel front Improved cabling facility with easy to use Cable Management cable tie positions for left and right cable entry Colour coded to T568B IDC Labelling IDC Blocks Industry standard 4 way IDCs The Connectix 2020 Series FTP Patch Panel is an alternative to the Standard Enhanced Category 5 FTP Panel. It offers the same Enhanced Category 5 performance as the standard panel but has been designed to present the cable termination IDCs horizontally on a tray at the rear of the panel, making termination and cable management easier.

All sockets in the panel are commonly linked through the panel and can be grounded to the rack using the earth wire provided.

Enhanced Category 5 panels provide exceptional performance for high speed LANs including Gigabit Ethernet applications in an easy to use format. When combined with Connectix Enhanced Category 5 FTP Modules and Cable, the link will perform well in excess of the Enhanced Category 5 specifications.

LC, SC, ST and FC fibre modules are also available, complete with a Starlight compatible gland hole and integrated management tray. Blank modules can be included for future expansion.

Ordering Information

Conforms to

Product Description Part Number Cat 5e 24 Way FTP 2020 Panel 009-002-001-01

ANSI/TIA-568-C Enhanced Category 5 Specification

