Copper Cabling Solutions

Category 6 UTP 2020 Series High Density Panels

The Connectix 2020 Series Patch Panel is an alternative to The High Density Panel. It offers the same performance as the standard panel but has been designed to present the cable termination IDCs horizontally on a tray at the rear of the panel, making termination and cable management easier. Connectix 24 Way Panels achieve optimum transmission performance by incorporating the highest quality components and innovative on-board compensation techniques. The front of the panel features write on designation labels, which also provide an ideal surface for application of custom printed labels.

This panel offers extended PowerSum characteristics and exceeds the ANSI/TIA-568-C specifications. When combined with Connectix Modules and UTP Cable the link will perform well in excess of the stated Specification. LC, SC, ST and FC fibre modules are also available, complete with a Starlight compatible gland hole and integrated management tray. Blank modules can be included for future expansion.





| Product Specifications | |
|------------------------|--|
| Width | 483 mm (19") |
| Depth | 30 mm |
| Height | 1u (44 mm) |
| Fixing Centres | 467 mm |
| Material | Mild steel sheet CR4 to BSEN 10130-1999 DC01 Plastic inserts ABS thermoplastic resin with grade UL94 V0 at 1.5 mm flame retardancy |
| Finish | Matt black polyester paint |
| Socket Labels | Write-on silk screen on panel front |
| IDC Labels | Colour coded labels to T568B |
| Cable Management | Improved cabling facility with easy to use cable tie positions for left and right cable entry |
| IDC Blocks | 4-way industry standard IDC blocks |
| Conforms to | ANSI/TIA-568-C |

| Ordering Information | | |
|----------------------|----------------|--|
| Product Description | Part Number | |
| Cat 6 UTP 24 Way | 009-001-001-40 | |

